

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 17-48-00199
Name of Facility: Jim Allen Elementary School
Address: 1051 Highway 95A N
City, Zip: Cantonment 32533

Type: School (more than 9 months)
Owner: Escambia County School District
Person In Charge: Virginia Smith Phone: (850) 937-2271
PIC Email: mgr0031@ecsdfi.us

Inspection Information

Purpose: Routine
Inspection Date: 8/15/2024
Correct By: Next Inspection
Re-Inspection Date: None

Number of Risk Factors (Items 1-29): 1
Number of Repeat Violations (1-57 R): 0
Facility Grade: N/A
Stop Sale: No

Begin Time: 09:55 AM
End Time: 10:45 AM

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- IN** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- OUT** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- NO** 18. Cooking time & temperatures
- NO** 19. Reheating procedures for hot holding
- NO** 20. Cooling time and temperature
- NO** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

Dee-Lu + R

Client Signature:

Virginia Smith

Form Number: DH 4023 03/18

17-48-00199 Jim Allen Elementary School

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Good Retail Practices

SAFE FOOD AND WATER

- IN** 30. Pasteurized eggs used where required
- IN** 31. Water & ice from approved source
- IN** 32. Variance obtained for special processing

FOOD TEMPERATURE CONTROL

- IN** 33. Proper cooling methods; adequate equipment
- NO** 34. Plant food properly cooked for hot holding
- IN** 35. Approved thawing methods
- IN** 36. Thermometers provided & accurate

FOOD IDENTIFICATION

- IN** 37. Food properly labeled; original container

PREVENTION OF FOOD CONTAMINATION

- IN** 38. Insects, rodents, & animals not present
- IN** 39. No Contamination (preparation, storage, display)
- IN** 40. Personal cleanliness
- IN** 41. Wiping cloths: properly used & stored
- IN** 42. Washing fruits & vegetables

PROPER USE OF UTENSILS

- IN** 43. In-use utensils: properly stored
- IN** 44. Equipment & linens: stored, dried, & handled
- IN** 45. Single-use/single-service articles: stored & used

- NO** 46. Slash resistant/cloth gloves used properly

UTENSILS, EQUIPMENT AND VENDING

- IN** 47. Food & non-food contact surfaces
- IN** 48. Ware washing: installed, maintained, & used; test strips
- IN** 49. Non-food contact surfaces clean

PHYSICAL FACILITIES

- IN** 50. Hot & cold water available; adequate pressure
- IN** 51. Plumbing installed; proper backflow devices
- IN** 52. Sewage & waste water properly disposed
- IN** 53. Toilet facilities: supplied, & cleaned
- IN** 54. Garbage & refuse disposal
- OUT** 55. Facilities installed, maintained, & clean
- IN** 56. Ventilation & lighting
- IN** 57. Permit; Fees; Application; Plans

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

Violation #16. Food-contact surfaces; cleaned & sanitized

The automatic ware washing machine is not reaching 180F for final rinse. The highest temperature reached was 172 F. Max read plate simulating thermometer reads 155F (must read 160F). Do not use this unit for sanitizing until it is operating at the required temperatures. Inspector ran 15 trays through the machine to test temperatures. Use 3-compartment sink to wash and sanitize

CODE REFERENCE: 64E-11.003(2). Food shall only contact surfaces that are clean and sanitized.

Violation #55. Facilities installed, maintained, & clean

An accumulation of dust observed on light fixtures and piping above the kitchen prep and wash areas. Clean to remove dust and clean regularly to prevent accumulation.

CODE REFERENCE: 64E-11.003(5). Floors, walls, and ceilings shall be smooth, durable, easily cleanable, and non-absorbent. Exterior areas shall be kept cleaned.

Inspector Signature:

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

The violation issued for hot water not reaching 100F in the staff bathroom has been corrected. Hot water temperature measured at 103F during the inspection.

The finish on the wood storage shelves in the dry storage area is starting to wear in several places. Please monitor the finish to ensure that these areas continue to be easily cleanable and non-absorbent.

Notes:

Serving line: Chicken sandwich 167F/Milk 40F
WIC: 36F/Milk 39F / Cheese stick 40F
Hot water: 100F at 30-comp sink, 103 kitchen hand wash sink
Santizer 200 ppm

Email Address(es): mgr0031@ecsdfl.us;
ggenung@ecsdfl.us;
EJones2@ecsdfl.us;
bbrantley@ecsdfl.us;
jhiggins@ecsdfl.us;
jdavis11@ecsdfl.us;
arinkenberger@ecsdfl.us;
custodialgeneral@ecsdfl.us

Inspection Conducted By: LeeAnn Lutz (003359)
Inspector Contact Number: Work: (850) 595-6700 ex. 2051
Print Client Name: Virginia Smith
Date: 8/15/2024

Inspector Signature:

Client Signature: